


PLANT	SCHE	DULE							
TREES	CODE	<u>ידנס</u>	BOTANICAL NAME	COMMON NAME	CONT	CAL	HT		REMARKS
\odot	LN	100	LAGERSTROEMIA INDICA "NATCHEZ"	"NATCHEZ" CRAPE MYRTLE	30 GAL		8`-10`		MINIMUM 3 TRUNKS; FULL HEAD
\odot	QN	39	QUERCUS NUTTALLII	NUTTALL OAK	B&B OR CONT	3"CAL	12"		FULL HEAD, SPECIMEN QUALITY
\odot	QP	70	QUERCUS PHELLOS	WILLOW OAK	B&B OR CONT	3"CAL	12		FULL HEAD, SPECIMEN QUALITY
0	TD	39	TAXODIUM DISTICHUM	BALD CYPRESS	B&B OR CONT	3"CAL	12"		FULL HEAD, SPECIMEN QUALITY
SHRUBS	CODE	ΥΤΩ	BOTANICAL NAME	COMMON NAME	CONT	<u>HT</u>	w	SPACING	REMARKS
0	JP	167	JUNIPERUS CHINENSIS 'PARSONII'	PARSONI JUNIPER	3 GAL			36" o.c.	
\odot	LP4	285	LOROPETALUM CHINENSIS BURGUNDY	BURGUNDY LOROPETALUM	3 GAL			60" o.c	
\odot	DP	288	PODOCARPUS MACROPHYLLUS "DWARF PRINGLES"	DWARF PRINGLES PODOCARPUS	3 GAL	24"-30"		18" o.c.	
0	SB	420	VIBURNUM ODORATISSIMUM	SWEET VIBURNUM	3 GAL			48" o.c.	
GRASSES	CODE	ΥΤΩ	BOTANICAL NAME	COMMON NAME	CONT	HT	w	SPACING	REMARKS
¢	MG	112	MISCANTHUS SINENSIS 'ADAGIO'	ADAGIO MAIDEN GRASS	3 GAL			36" o.c.	











Craft Farms
Gulf Shores, Alabama A Landscape D Villages at


		Revisions / Submissions
_	10.25,21	CITY SUBMITTAL
_	11.19.21	CITY SUBMITTAL
_	12.09,21	CITY SUBMITTAL
_	01.07.22	CITY SUBMITTAL
_		
_		-
_		-
_		88



OVERALL SITE PLAN

LP100





LANDSCAPE PLANTING PLAN





A Landscape Development Plan for VIIIages at Craft Farms Gulf Shores, Alabama

| Revisions | No. | Dote | Revisions | Submissions | 10.25.21 | CITY SUBMITTAL | 11.19.21 | CITY SUBMITTAL | 12.09.21 | CITY SUBMITTAL | 01.07.22 | CITY SUBMITTAL |

Copyright 2021 W.S. Design Inc. Three documents and their contents are the property of W.S. Design. Any reproductions, revisions, modifications or use of these documents without the express written consent of W.S. Design in prohibited by low.






Chart Title

LANDSCAPE PLANTING PLAN

Sheet No

LP200



A SHRUBS AND GROUNDCOVERS ADJACENT TO STRAIGHT EDGES SHALL BE TRIANGULAR - SPACED IN ROWS PARALLED TO THE STRAIGHT EDGE,


B SHRUBS AND GROUNDCOVERS ADJACENT TO CURVED EDGES SHALL BE PLANTED IN ROWS PARALLEL TO THE CURVED EDGES, CURVED EDGES TO BE VERY SMOOTH RADII,





DETAIL-FILE

TYPICAL PLANT SPACING (2)

329399-04







ARROWHEAD ANCHOR

EXISTING

FINISHED GRADE

PLANT PIT DETAIL

TENSION BAR -

1" GUYLINE WEBBING

THE MINIS

STAKING DETAIL

GROUNDCOVER PLANTING 4) Gires

GENERAL CONDITIONS

CONTRACTOR SHALL BE RESPONSIBLE FOR THE SITE INSPECTION PRIOR TO LANDSCAPE CONSTRUCTION AND INSTALLATION IN ORDER TO ACQUAINT HIMSELF WITH EXISTING CONDITIONS. CONTRACTOR SHALL BE RESPONSIBLE FOR LOCATING ALL EXISTING UNDERGROUND UTILITIES SEFORE SEGNINING CONSTRUCTION.

CONTRACTOR IS RESPONSIBLE FOR PROTECTION OF LANDSCAPE MATERIAL AT ALL THISE SETORE SEGNINING CONSTRUCTION.

CONTRACTOR OF THE CONTRACTOR SHALL BE RESPONSIBLE FOR LOCATING. CONTRACTOR SHALL BE RESPONSIBLE FOR PROTECTION OF LANDSCAPE AREA ALL ALL PLANT MATERIAL, INCLUDING GRASS, FOR 355 IN CONSECUTIVE CALLENDER DAYS FOR SUBSTANTIAL COMPLETION OF THE WORK, AS DETERMINED BY THE PROJECT LANDSCAPE ARCHITECT. PRIOR TO SUBSTANTIAL COMPLETION.

ALL AREAS IMPACTED DECATIVELY BY CONSTRUCTION PROCESSES SHALL BE RETURNED TO ORIGINAL CONDITION OR BETTER PRIOR TO SUBSTANTIAL COMPLETION.

SOIL SHALL BE AMENDED BY THE ADDITION OF COMPOST AND FERTILIZER.

COMPOST TYPE SHALL BE MUSHROOM COMPOST OR DECOMPOSED PINE BARK, AND SHALL BE AMENDED BY THE ADDITION OF COMPOST AND FERTILIZER.

COMPOST TYPE SHALL BE MUSHROOM COMPOST OR DECOMPOSED PINE BARK, AND SHALL BE AMENDED BY THE ADDITION OF COMPOST AND FERTILIZER.

COMPOST TYPE SHALL BE MUSHROOM COMPOST OR DECOMPOSED PINE BARK, AND SHALL BE AMENDED BY THE ADDITION OF COMPOST AND FERTILIZER.

COMPOST TYPE SHALL BE MUSHROOM COMPOST OR DECOMPOST PINE COMPOST TO PLANTING BEDS AT AN AVERAGE DEPTH OF 2 INCHES AND OVER SOOD AREAS TO A DEPTH OF 3 JUNCHES AND OVER SOOD AREAS TO A DEPTH OF 5 INCHES AND IN CORPORATE COMPOST UNIFORMLY IN PLANTING BEDS AT AN AVERAGE DEPTH OF 2 INCHES AND OVER SOOD AREAS TO A DEPTH OF 5 INCHES AND OVER SOOD AREAS TO A DEPTH OF 5 INCHES AND OVER SOOD AREAS TO A DEPTH OF 5 INCHES AND OVER SOOD AREAS TO A DEPTH OF 5 INCHES AND OVER SOOD AREAS TO A DEPTH OF 5 INCHES AND OVER SOOD AREAS TO A DEPTH OF 5 INCHES AND OVER SOOD AREAS TO A DEPTH OF 5 INCHES AND OVER SOOD AREAS TO A DEPTH OF 5 INCHES AND OVER SOOD AREAS TO A DEPTH OF 5 INCHES AND OVER SOOD AREAS TO A DEPTH OF 5 INCHES AND OV

TREE PLANTING - GUY STRAP

PLANT GUARTINES

PLANT QUANTITIES ARE OFFERED AS A CONVENIENCE TO THE CONTRACTOR, AND ARE NOT ABSOLUTE. CONTRACTOR SHALL VERIFY PLANT COUNT FROM PLAN AND REPORT DIFFERENCES.

ALL PLANT MATERIALS ARE SUBJECT TO APPROVAL OR REFUSAL BY THE OWNER OR LANDSCAPE ARCHITECT AT THE JOB SITE.

PLANTS SHALL BE WELL FORMED, VIGOROUS, GROWING SPECIMENS WITH GROWTH TYPICAL OF VARIETIES SPECIFIED AND SHALL BE FREE FROM INJURY, INSECTS AND DISEASES, PLANTS SHALL BE FREE FROM INJURY, INSECTS AND DISEASES, PLANTS SHALL BE FREE FROM INJURY, INSECTS AND DISEASES, PLANTS SHALL BE FREE FROM INJURY, INSECTS AND DISEASES, PLANTS SHALL BE FREE FROM INJURY, INSECTION THE CURRENT ISSUE OF "AMERICAN STANDARDS FOR NURSERY STOCK" AS PUBLISHED BY THE AMERICAN BURSERYMEN, INC. UNLESS NOTED SPECIFICALLY, ALL PLANT MATERIAL SHALL BE BALLED AND BURSAPPED OR CONTAINER GROWN.

FRONT ROW OF SHRUBES SHALL BE PLANTED FROM CENTER OF PLANT A MINIMUM OF 34" BEHIND BED LINE ® LAWNS OR WALKS AND A MINIMUM OF 36" BOCK OF CURB PARKING SPACES.

NO PRUNING SHOULD BE PERFORMED DURING FIRST GROWING SEASON EXCEPT FOR REMOVING DAMAGED OF DEAD GROWTH, WOUND PAINT IS NOT RECOMMENDED TOWN. THE PITS, AND OTHER AREAS INDICATED ON PLANS SHALL BE MILCHED WITH A SETTLED LAYER OF THE INDICATED MULCH:

3" DEPTH PIME BARK

3" DEPTH PINE BARK

4" DEPTH SHREDDED HARDWOOD MULCH

3" DEPTH LONGLEAF PINESTRAW, SETTLED

TRENCH EDGE TO BE LOCATED BETWEEN ALL PLANTING AREAS AND LAWN, UNLESS NOTED OTHERWISE. TREE STAKING SHALL BE PROVIDED TO KEEP TREES PLUMB AND PROTECTED FROM EXCESSIVE WINDS. ALL TREE—STAKING APPARATUS SHALL BE REMOVED AT THE END OF THE ONE-YEAR WARRANTY PERIOD. ONE YEAR OF LANDSCAPE MAINTENANCE FROM SUBSTANTIAL COMPLETION SHALL BE INCLUDED AS AN OPTIONAL BID ITEM TO THE OWNER.

(7) GENERAL PLANTING NOTES






Farms Craft g es Village

	0018	
No.	Date	Revisions / Submissions
	10.25,21	CITY SUBMITTAL
	11.19.21	CITY SUBMITTAL
	12.09.21	CITY SUBMITTAL
_	01.07.22	CITY SUBMITTAL
-)=
_		
_		

VTW	Registration
Drawn	AE OF ALAO
VTW	ANY INTERS NO
Project Manager	19/ CHATI ALD
LCW	1-1 DODGENOUS
Principal	2 11
213421-001	MOMBER /
Project No.	518
10.20.21	ANDSCAPE AND
Dale	LANDSCAPE

LANDSCAPE PLANTING DETAILS

LP500



NOTE: TRENCH EDGE TO BE LOCATED BETWEEN ALL PLANTING BED AREAS AND ADJACENT TURF AREAS, UNLESS NOTED OTHERWISE.

TRENCH EDGE (6)


(3)

329413.23-02

STRUCTURAL ENGINEERING NOTE

STRUCTURAL ENGINEERING DESIGN IS NEITHER EXPRESSED NOR IMPLIED IN THIS DRAWING. STRUCTURAL ENGINEERING DESIGN RESPONSIBILITY IS DELEGATED TO THE CONTRACTOR, AND SHALL BE DONE BY A PROFESSIONAL ENGINEER OR OTHER QUALIFIED PROFESSIONAL AS REQUIRED FOR CODE COMPLIANCE, PERMITTING, ETC.

LUMI	NAIRE	SCF	HEDULE					
CALLOUT	SYMBOL	LAMP	BALLAST	MOUNTING	VOLTS	NOTE 3	QUANTITY	DEFAULT ELEVATION
POLE	\leftrightarrow	(1)	ELECTRONIC	POLE	120V 1P 2W	KING LUMINAIRE: WASHINGTON K118ED ACORN PRISMITC LENS IN LOUVER PORTION, WITH FROSTED ACORN ABOVE ONE 150W CLEAR HPS LAMP (MOGAL BASE), LUMEN RATING = 16000 LMS, KING LUMINAIRE COMPANY INC. BURLINGTON, ON TARIO	13	18"-0"







A Landscape Development Plan for VIIIages at Craft Farms Gulf Shores, Alabama

sions	
Date	Revisions / Submissions
10,25.21	CITY SUBMITTAL
11,19.21	CITY SUBMITTAL
12.09.21	CITY SUBMITTAL
01,07.22	CITY SUBMITTAL
_	
_	

© Copyright 2021 WAS Design Inc. These documents and their contents are the property of WAS Design. Any reproductions, revisions, modifications or use of these documents without express written concern of WAS Design is prohibited by low.

ВН	Registration
Drawn	AE OF ALAD
VTW	AN USTER NO
Project Manager	CHAB ALL
LCW	1. (MAXXXX).
Principal	The state of the
213421-001	19 F12
Project No.	518
10.20.21	ANDSCAPE AND
Date	MANDSCAL

Sheet Title

SITE LIGHTING PLAN

Sheet No.



Farms St. Alabama Craft ₽ A Landsca

No.	Date	Revisions / Submissions
	10.25.21	CITY SUBMITTAL
	11,19,21	CITY SUBMITTAL
	12.09.21	CITY SUBMITTAL
	01,07.22	CITY SUBMITTAL
-		
_		
_		
_		

ВН	Registration
Drown	18
VTW	100
Project Manager	17/
LCW	1.1
Principal	13 7
213421-001	1210
Project No.	131
10.20.21	130
Dala	



SITE LIGHTING PLAN **ENLARGEMENT**

BALDWIN COUNTY HIGHWAY NO. 8 160' R/W





Craft Farms
Gulf Shores, Alabama A Landscape D VIII Ages at C

Revis	ions	
No.	Date	Revisions / Submissions
	10.25.21	CITY SUBMITTAL
	11.19.21	CITY SUBMITTAL
	12,09.21	CITY SUBMITTAL
_	01.07.22	CITY SUBMITTAL
_		
	_	






SITE LIGHTING PLAN **ENLARGEMENT**

LE201

0.0 0.1 0.1 0.1 0.2 0.2 0.3 0.3 0.3 0.3 0.2 0.2 0.1 0.1 0.1 0.2 0.2 0.3 0.4 0.5 0.7 0;4 0.5 0;5 0.4 0.4 0.3 0.2 0.2 0.2 0.2 0.2 0.2 0.4 0.5 0.7 0.8 0.3 0.3 0.4 0.5 0.6 0.6 0.7 0.6 0.5 0.4 0.3 0.3 0.2 0.2 0.3 0.5 0.6 0.8 0.7 1.7

COUNTY HIGHWAY NO. 8








Se Development Plan for Craff Farms Gulf Shores, Alabama A Landscape I


to Date	Revisions / Submissions
10.25,21	CITY SUBMITTAL
11.19.21	CITY SUBMITTAL
12.09.21	CITY SUBMITTAL
01.07.22	CITY SUBMITTAL

Project Manager
LCW
Principal
213421-001
Project No.
10.20.21
Date




SITE LIGHTING PLAN **ENLARGEMENT**





STRUCTURAL ENGINEERING NOTE

STRUCTURAL ENGINEERING DESIGN IS NEITHER EXPRESSED NOR IMPLIED IN THIS DRAWING. STRUCTURAL ENGINEERING DESIGN RESPONSIBILITY IS DELECATED TO THE CONTRACTOR, AND SHALL BE DONE BY A PROFESSIONAL ENGINEER OR OTHER QUALIFIED PROFESSIONAL AS REQUIRED FOR CODE COMPLANCE, PERMITTING, ETC.





K118-E Prismatic External Refractor The use of the Kit të E external enclosure as a primitic religion may a that the light goes where: proctor, resulting in maximum spacing and loner antigy usage ALLMINIZED UPLIGIT - entique lectation K118-EAR Available Octions for K118 Luminaire (cont'd) An optional accessory that adds to the historical look of gives a clean decorative look to the traditional Washington the traditional Washington Globe - available in all King Cost colors Coat colors



FOR CONSTRUCTION
THESE PLANS HAVE NOT BEEN
APPROVED AND ARE SUBJECT
TO CHANGE.

A Landscape Development Plan for VIIIages at Craft Farms Gulf Shores, Alabama

© Copyright 2021 WAS Design Inc. These documents and their contents are the property of WAS Design. Any reproductions, revisions, modifications or use of these documents without the express written consent of WAS Design is prohibited by low.

BH
Drum
VTW
Project Monoger
LCW
Principal
213421-001
Project No.
10.20.21
Dotte



Sheet Title

SITE LIGHTING PLAN ENLARGEMENT

Sheet No